

IN THE CLAIMS:

1. (Currently amended) A method in a data processing system for executing cryptographic operations, the method comprising:
responsive to a request to perform a cryptographic operation, dynamically selecting between one of a software process and a hardware process within the data processing system for performing the cryptographic operation based on a policy, to form a selected process; and
performing the cryptographic operation using the selected process, wherein the cryptographic operation is an encryption of data using a key, and wherein the step of performing the cryptographic operation includes converting the key to a form useable by the selected process if the key is in an unusable form by the selected process.
2. (Original) The method of claim 1, wherein the policy includes selecting the one based on available resources to perform the cryptographic operation.
3. (Original) The method of claim 1, wherein the policy includes selecting the one resulting in a fastest completion of the cryptographic operation.
4. (Original) The method of claim 1, wherein the selecting step includes:
selecting the one using a preference associated with the request.
5. (Original) The method of claim 4, wherein the preference is for the hardware process to performing the cryptographic operation.
- 6-7. (Cancelled)
8. (Currently amended) ~~The method of claim 6;~~ A method in a data processing system for executing cryptographic operations, the method comprising:
responsive to a request to perform a cryptographic operation, dynamically selecting between one of a software process and a hardware process within the data

processing system for performing the cryptographic operation based on a policy, to form a selected process; and

performing the cryptographic operation using the selected process, wherein the cryptographic operation is an encryption of data using a key, wherein the key is a hardware key and the selected process is the software process and further comprising:

converting the hardware key into a software form useable by the software process for performing the cryptographic operation.

9. (Original) The method of claim 1, wherein the policy comprises a set of rules used to minimize available resources consumed in performing the cryptographic operation.

10. (Original) The method of claim 1, wherein the policy comprises a set of rules used to maximize a speed at which the cryptographic operation is performed.

11. (Currently amended) A method in a data processing system for executing cryptography processes, the method comprising:

responsive to a request to perform a cryptographic operation, dynamically selecting between a software process and a hardware process within the data processing system for performing the cryptographic operation based on available resources to perform the cryptographic operation, to form a selected process; and

performing the cryptographic operation using the selected process, wherein the cryptographic operation is an encryption of data using a key, and wherein the step of performing the cryptographic operation includes converting the key to a form useable by the selected process if the key is in an unusable form by the selected process.

12. (Original) The method of claim 11, wherein the cryptographic operation is one of a message digest and a public-private key encryption.

13. (Original) The method of claim 11, wherein the request is received from an application.

14. (Original) The method of claim 13, wherein the request is received from the application using an application program interface call made by the application.

15-16. (Cancelled)

17. (Currently amended) The method of claim ~~15~~ 11, wherein the key is a hardware key and the selected process is the software process and further comprising:
converting the hardware key into a software form useable by the software process for performing the cryptographic operation.

18. (Currently amended) The method of claim ~~15~~ 11, wherein the key is a software key and the selected process is the hardware process and further comprising:
converting the software key into a hardware form useable by the hardware process for performing the cryptographic operation.

19. (Previously presented) The method of claim 11, wherein the available resources include available processing resources and memory.

20-25. (Cancelled)

26. (Currently amended) A data processing system for executing cryptographic operations, the data processing system comprising:
selecting means for dynamically selecting between one of a software process and a hardware process within the data processing system for performing a cryptographic operation based on a policy, to form a selected process in response to a request to perform the cryptographic operation; and
performing means for performing the cryptographic operation using the selected process, wherein the cryptographic operation is an encryption of data using a key, and wherein the performing means includes converting means for converting the key to a

form useable by the selected process if the key is in an unusable form by the selected process.

27. (Original) The data processing system of claim 26, wherein the policy includes selecting the one based on available resources to perform the cryptographic operation.

28. (Original) The data processing system of claim 26, wherein the policy includes selecting the one resulting in a fastest completion of the cryptographic operation.

29. (Original) The data processing system of claim 26, wherein the selecting means includes:

selecting means for selecting the one using a preference associated with the request.

30. (Original) The data processing system of claim 29, wherein the preference is for the hardware process to performing the cryptographic operation.

31-32. (Cancelled)

33. (Currently amended) The data processing system of claim ~~31~~ 26, wherein the key is a hardware key and the selected process is the software process and further comprising:
converting means for converting the hardware key into a software form useable by the software process for performing the cryptographic operation.

34. (Original) The data processing system of claim 26, wherein the policy comprises a set of rules used to minimize available resources consumed in performing the cryptographic operation.

35. (Original) The data processing system of claim 26, wherein the policy comprises a set of rules used to maximize a speed at which the cryptographic operation is performed.

36. (Currently amended) A data processing system for executing cryptography processes, the data processing system comprising:

selecting means for dynamically selecting between a software process and a hardware process within the data processing system for performing a cryptographic operation based on available resources to perform the cryptographic operation to form a selected process responsive to a request, to perform the cryptographic operation; and

performing means for performing the cryptographic operation using the selected process, wherein the cryptographic operation is an encryption of data using a key, and wherein the performing means includes converting means for converting the key to a form useable by the selected process if the key is in an unusable form by the selected process.

37. (Original) The data processing system of claim 36, wherein the cryptographic operation is one of a message digest and a public-private key encryption.

38. (Original) The data processing system of claim 36, wherein the request is received from an application.

39. (Original) The data processing system of claim 38, wherein the request is received from the application using an application program interface call made by the application.

40-41. (Cancelled)

42. (Currently amended) The data processing system of claim ~~40~~ 36, wherein the key is a hardware key and the selected process is the software process and further comprising:
converting means for converting the hardware key into a software form useable by the software process for performing the cryptographic operation.

43. (Currently amended) The data processing system of claim ~~40~~ 36, wherein the key is a software key and the selected process is the hardware process and further comprising:
converting means for converting the software key into a hardware form useable by the hardware process for performing the cryptographic operation.

44. (Previously presented) The data processing system of claim 36, wherein the available resources include available processing resources and memory.

45-46. (Cancelled)